



FACT SHEET 21

An anxiety disorder involves more than just feeling stressed – it's a serious illness. People with anxiety disorders find it hard to function every day.

HOW COMMON ARE ANXIETY DISORDERS?

Anxiety disorders are the most common mental disorders in Australia. Nearly one in 10 people will experience some type of anxiety disorder in any one year – around one in 12 women and one in eight men. One in four people will experience an anxiety disorder at some stage of their lives.

WHAT CAUSES ANXIETY DISORDERS?

Combinations of factors are believed to trigger anxiety disorders. These include:

- a family history of mental health problems
- stressful life events
- ongoing physical illness
- personality factors.

TYPES OF ANXIETY DISORDERS, THEIR SIGNS AND SYMPTOMS

There are many types of anxiety disorders with a range of signs and symptoms.

Generalised Anxiety Disorder (GAD)

GAD involves feeling anxious on most days over a long period of time. A person may have GAD if, for **SIX MONTHS or more**, on **more days than not**, they have:

- felt very worried YES NO
- found it hard to stop worrying YES NO
- found that their anxiety made it difficult for them to carry out everyday activities (e.g. work, study, seeing friends and family). YES NO

If the person answered 'YES' to **ALL** of these questions have they also experienced **THREE or more** of the following:

- felt restless or on edge YES NO

- felt tired easily YES NO
- had difficulty concentrating YES NO
- felt irritable YES NO
- had muscle pain (e.g. sore jaw or back) YES NO
- had trouble sleeping (e.g. difficulty falling or staying asleep or restless sleep). YES NO

Phobia

Phobias cause a person to feel very fearful about particular objects or situations. A person may have a phobia if they have:

- felt very nervous when faced with a specific object or situation e.g.:
 - flying on an aeroplane YES NO
 - going near an animal YES NO
 - receiving an injection YES NO
 - going to a social event YES NO
- avoided a situation that might cause the person to face the phobia e.g.:
 - needed to change work patterns YES NO
 - not attending social appointments YES NO
 - not getting health check-ups YES NO
- found it hard to go about daily life (e.g. working, studying or seeing friends and family) because the person is trying to avoid such situations. YES NO

Obsessive Compulsive Disorder (OCD)

OCD occurs when people have ongoing unwanted/intrusive thoughts and fears that cause anxiety – often called obsessions. These obsessions make people feel they need to carry out certain rituals in order to feel less anxious and these are known as compulsions. A person may have OCD if they have:

- repetitive thoughts or concerns that are not about real life problems (e.g. thoughts that the person or people close to them will be harmed) YES NO
- performed the same activity repeatedly and in a very ordered, precise and similar way each time e.g.:
 - constantly washing hands or clothes, showering or brushing teeth YES NO

Anxiety disorders

FACT SHEET 21

- constantly cleaning, tidying or rearranging in a particular way things at home, at work or in the car YES NO
- constantly checking that doors and windows are locked and/or appliances are turned off YES NO
- felt relieved in the short term by doing these things, but soon felt the need to repeat them YES NO
- recognised that these feelings, thoughts and behaviour patterns are unreasonable YES NO
- found that these thoughts or behaviour patterns take up **more than 1 hour a day** and/or interfered with the person's normal routine (e.g. working, studying or seeing friends and family). YES NO

Post Traumatic Stress Disorder (PTSD)

PTSD involves experiencing bursts of anxiety that occur after a person has a major emotional shock following a stressful event i.e. a trauma.

The person could be experiencing PTSD if he/she has:

- experienced or seen something that involved death, injury, torture or abuse and felt very frightened or helpless YES NO
- had upsetting memories or dreams of the event for at least ONE month YES NO
- found it hard to go about daily life (e.g. difficulty working/studying or getting along with family and friends). YES NO

If the answer was 'YES' to **ALL** of these questions and the person has also experienced **at least THREE** of the following:

- avoided activities that are a reminder of the event YES NO
- had trouble remembering parts of the event YES NO
- felt less interested in doing things they used to enjoy YES NO
- had trouble feeling intensely positive emotions (e.g. love or excitement) YES NO
- thought less about the future (e.g. about career or family goals). YES NO

AND experienced **at least TWO** of the following:

- had difficulty sleeping (e.g. had bad dreams or found it hard to fall or stay asleep) YES NO
- become angry or irritated easily YES NO
- had trouble concentrating YES NO
- felt on guard YES NO
- been easily startled. YES NO

Panic Disorder

Panic disorder involves having panic attacks frequently. Panic attacks are intense feelings of anxiety that seem like they cannot be brought under control. A person may have panic disorder if **within a 10 MINUTE PERIOD** he/she felt **FOUR OR MORE** of the following:

- sweaty YES NO
- shaky YES NO
- increased heart rate YES NO
- short of breath YES NO
- choked YES NO
- nauseous or pain in the stomach YES NO
- dizzy, lightheaded or faint YES NO
- numb or tingly YES NO
- detached from themselves or their surroundings YES NO
- hot or cold flushes YES NO
- afraid of going crazy YES NO
- afraid of dying YES NO

If the person answered 'YES' to **ALL** of these questions, has the person also:

- felt scared, for **ONE MONTH OR MORE**, of experiencing these feelings again. YES NO

It is important to note that many people with anxiety disorders experience symptoms of more than one type of anxiety disorder.

It is also important to note that these checklists provide only a rough guide as to whether someone has an anxiety disorder. For a full diagnosis, it is important to see a doctor.



HOW ARE ANXIETY DISORDERS TREATED?

There are several types of treatment available.

Psychological treatment

Psychological treatment may not only help a person to recover, but can also help to prevent a recurrence of anxiety. Generally, it has been found to be the most effective way of treating anxiety disorders. Psychological treatment can help a person to change their thought patterns and the way they react to certain situations. This can help their recovery and prevent the illness returning. Psychological therapy is usually administered by a psychologist, a psychiatrist or other mental health worker.

Medication

While psychological treatment is generally the first choice for treating anxiety disorders, medical treatment can also be very helpful. Some types of **antidepressants** can be helpful for the management of anxiety disorders. For more details on which medications are effective for symptoms of anxiety disorders visit www.beyondblue.org.au or call the *beyondblue* info line 1300 22 4636 (local call).

Benzodiazepines reduce tension without causing sleep. Some types of benzodiazepines, such as alprazolam (Xanax) can be effective in treating some types of anxiety disorders. However, benzodiazepines are generally not recommended, especially for long-term use, because they can be addictive.

HOW TO HELP YOURSELF IF YOU HAVE AN ANXIETY DISORDER

- Postpone major life changes.
- Resolve personal conflicts as they arise.
- Take part in enjoyable activities.
- Seek help from a doctor or other health professional.
- Practise breathing and muscle relaxation techniques.
- Find out more about anxiety disorders.
- Establish good sleeping patterns.
- Exercise regularly.
- Reduce alcohol and other drugs.

HOW TO HELP SOMEONE WITH AN ANXIETY DISORDER

- Let the person know if you've noticed a change in their behaviour.
- Spend time talking about the person's experiences and let them know that you're there to listen without being judgmental.
- Suggest the person sees a doctor or health professional and/or assist the person to make an appointment with a doctor or health professional.
- Go with the person to the doctor or health professional.
- Help the person to find information about anxiety.
- Encourage the person to try to get enough sleep, exercise, eat well and use self-help strategies.
- Invite the person out and keep in touch. Also encourage friends and family members to do the same, but don't pressure the person to participate.
- Encourage the person to face their fears with support from their doctor/psychologist.
- Contact a doctor or hospital, if the person becomes a threat to themselves or others.

WHERE TO GET HELP

- **A doctor** who is a General Practitioner (GP) is a good first step. In some cases, the person may be referred to a mental health specialist like a psychiatrist or psychologist. For a list of GPs with expertise in treating anxiety disorders visit the *beyondblue* website www.beyondblue.org.au and click on Get Help or call the *beyondblue* info line on 1300 22 4636 (local call).
- **Psychiatrists** are doctors who specialise in mental health. They can make medical and psychological assessments, conduct medical tests and prescribe medication. Some psychiatrists use psychological treatments.
- **Psychologists, Social Workers and Occupational Therapists** specialise in providing non-medical (psychological) treatment for depression and related disorders. A rebate can now be claimed through Medicare for psychological treatments when your GP, psychiatrist or paediatrician refers you to a registered psychologist, social worker or occupational therapist. This rebate can be claimed for part of the cost for up to 12 individual (18 in exceptional circumstances) and 12 group sessions in a calendar year. For more details ask

Anxiety disorders



FACT SHEET 21

your referring medical practitioner. For a list of mental health professionals providing psychological treatment for which you can claim a Medicare rebate go to:

- Clinical Psychologists: www.beyondblue.org.au under [Get Help](#)
- Psychologists: www.psychology.org.au under [Find a Psychologist](#)
- Social Workers: www.aasw.asn.au under [Find a Mental Health Worker](#)
- Occupation Therapists: www.ausot.com.au under [Find a Mental Health OT](#)

WHERE TO GET INFORMATION

beyondblue: the national depression initiative

www.beyondblue.org.au

beyondblue info line 1300 22 4636

Information on depression, anxiety and related substance-use disorders, available treatments and where to get help.

www.youthbeyondblue.com

beyondblue's website for young people – information on depression and how to help a friend.

Lifeline

13 11 14

24 hour counselling, information and referral (local call).

Lifeline's Information Service

1300 13 11 14

Anxiety Recovery Centre

www.arcvic.com.au

Information about anxiety disorders, management and links.

ADAVIC (The Anxiety Disorders Association of Victoria)

www.adavic.org.au

Information about Panic Disorder, Social Phobia, Agoraphobia, Generalised Anxiety and Depression, and support services.

© *beyondblue: the national depression initiative*, 2008.

PO Box 6100, Hawthorn West VIC 3122

T: (03) 9810 6100

beyondblue info line 1300 22 4636

F: (03) 9810 6111

E: bb@beyondblue.org.au

W: www.beyondblue.org.au

PADA (The Panic Anxiety Disorder Association)

www.pada.org.au

Information on anxiety and depression (including postnatal depression), related research and publications.

Social Anxiety Australia

www.socialanxiety.com.au

Information on social anxiety and panic attacks, first-hand accounts from people living with these conditions and links.

Anxiety Disorders Alliance

www.ada.mentalhealth.asn.au

Information on anxiety disorders, related resources and support groups.

Anxiety Network Australia

www.anxietynetwork.com.au

Information on anxiety disorders, related programs, workshops and courses – as well as stories from people living with these disorders.

TRANX (Tranquilliser Recovery and New Existence)

www.tranx.org.au

Information on benzodiazepines (tranquillisers and sleeping pills), guidelines on how to use them safely, and strategies for sleep and anxiety management.

CRUFAD

www.crufad.org

Information about depression, anxiety and its management.

Moodgym

www.moodgym.anu.edu.au

Online psychological therapy.

Climate.tv – interactive e-health

www.climate.tv

Developed by medical experts, this is a self-management system for people with depression and anxiety.

Panic Online

www.med.monash.edu.au/mental_health/paniconline

Interactive online treatment program for people with panic disorders.